

Ray Peat's Newsletter

Living is a constant process of deciding what we are going to do. Jose Ortega y Gasset

Radiation and growth: Incoherent imprinting from inappropriate irradiation.

Agence France-Press: The Transportation Security Administration (TSA) began rolling out full-body scanners at US airports in 2007, but stepped up deployment of the devices this year when stimulus funding made it possible to buy another 450 of the advanced imaging technology scanners. Government officials have said that the scanners have been tested and meet safety standards. But Captain David Bates, president of the Allied Pilots Association, which represents pilots at American Airlines, urged members to avoid the full-body scanner. "No pilot at American Airlines should subject themselves to the needless privacy invasion and potential health risks caused by the body scanner," he said in a letter this month, which was obtained by AFP. A group of scientists at the University of California, San Francisco (UCSF) raised concerns about the "potential serious health risks" from the scanners in a letter sent to the White House Office of Science and Technology in April. Biochemist John Sedat and his colleagues said in the letter that most of the energy from the scanners is delivered to the skin and underlying tissue. "While the dose would be safe if it were distributed throughout the volume of the entire body, the dose to the skin may be dangerously high," they wrote. The scientists say the X-rays could pose a risk to everyone from travelers over the age of 65 to pregnant women and their unborn babies, to HIV-positive travelers, cancer patients and men. "Men's sexual organs are exposed to the X-rays. The skin is very thin there," Love explained.

Beginning in 1944, the US government conducted a series of 250 experiments in which large amounts of radioactive material were released into the atmosphere, to study the effects of radioactive isotopes on people, as part of a program to develop weapons that would kill or sterilize populations.

When hydrogen bombs were produced in the 1950s, the US public was told that these weapons would make nuclear war safe, because they were "clean," since fusion didn't produce the toxic isotopes produced by fission bombs. However, immense quantities of natural uranium 238 were included in those bombs, with the result that they produced extremely radioactive fallout. This was kept secret from Americans, but the Soviets were

able to determine the composition of the bombs by sampling the air that circled the world.

The US Atomic Energy Commission collected information on the radioactive isotopes in human, animal, and plant tissues from around the world, in the secret project called "Project Sunshine," for the purpose of learning how many bombs could be exploded without killing the entire world's population.

Thomas Edison, who had begun working with x-ray machines in 1895, became an opponent of their use after 1903, when one of his employees died of cancer that began in his hands and arms. By the 1930s, many people outside the medical profession were warning that diagnostic x-rays could cause accelerated aging, heart and circulatory disease, and birth defects, as well as causing cancer and leukemia. This public awareness of the danger of ionizing radiation was the reason that the government felt obliged to lie about the nature of the bombs and their effects on people and the environment. Many people, even in the US, were asking the government to stop the bomb tests, and to discuss nuclear disarmament. Two members of the US Congress (Senator Morse and Congressman Porter, both of Oregon) introduced bills in 1957 to stop the tests, but most congressmen, and President Eisenhower, believed that the US would be able to achieve a degree of technical advantage that would permit them to eliminate the Soviet Union in a first strike. This plan was closely involved with the need to study the effects of radioactive fallout on people and crops. The highest military officials were still pressing for a first strike in the 1960s (Douglas, 2008).

Science professors, including Linus Pauling, and some high school teachers tried to educate the public about the biological effects of radiation, but the US government mobilized effectively against them, for example by sending FBI agents

to make inquiries that implied that they were "disloyal citizens." Linus Pauling's passport was revoked because of his efforts to inform the public. At the same time, the Atomic Energy Agency and other branches of government, and the corporations that were involved in manufacturing bombs and nuclear power reactors, were employing experts to assure the public that ionizing radiation was absolutely harmless, below a certain level of intensity, the threshold at which harm would suddenly begin, and that below that dose, it could even be biologically beneficial.

John Gofman was one of the most visible of those government employees who argued that there was no basis for suspending atmospheric bomb tests. As the co-discoverer of protactinium-232, uranium-232, protactinium-233, and uranium-233, who later became a medical doctor, he was a favorite of the nuclear agencies for convincing the public that ionizing radiation was nothing to be feared.

In an interview several years ago, Gofman said "I was stupid in those days. In 1955, '56, people like Linus Pauling were saying that the bomb fallout would cause all this trouble. I thought, 'We're not sure. If you're not sure, don't stand in the way of progress.' I could not have thought anything more stupid in my life.

"The big moment in my life happened while I was giving a health lecture to nuclear engineers. In the middle of my talk it hit me! What the hell am I saying? If you don't know whether low doses are safe or not, going ahead is exactly wrong. At that moment, I changed my position entirely."

"There is no way I can justify my failure to help sound an alarm over these activities many years sooner than I did. I feel that at least several hundred scientists trained in the biomedical aspect of atomic energy--myself definitely included--are candidates for Nuremberg-type trials for crimes against humanity for our gross negligence and irresponsibility. Now that we know the hazard of low-dose radiation, the crime is not experimentation--it's murder."

Many ordinary people were making exactly that argument in the 1950s, but government censorship kept the most incriminating evidence from the public. The climate of intimidation

spread throughout the culture, with large numbers of dissenters, especially between 1950 and 1965, losing their jobs in government, schools, universities, and industry. Now, the increasing numbers of people who don't want x-rays are still treated as crackpots.

Probably because of this continuing political-cultural situation, Gofman's recommendations in recent years have been very mild--simply for doctors to use good technology and to know what they are doing, which could lead to a ten-fold or even hundred-fold dose reduction in diagnostic x-rays. Even with such mild restraint in the use of diagnostic x-rays, Gofman's well founded estimate is that 250,000 deaths caused by radiation could be prevented annually. I believe many more deaths would be prevented if ultrasound and MRI were used consistently instead of x-rays. Using Gofman's estimate, I think we can blame at least ten million deaths on just the medical x-rays that have been used inappropriately because of the policies of the U.S. government in the last half century. That wouldn't include the deaths caused by radioactive fallout from bomb tests and leaks from nuclear power plants, or the vast numbers of people mentally impaired by all sorts of toxic radiation.

In the 1950s, many people believed that Gofman was just another government whore, like the other prominent scientists who supported atmospheric tests and argued against the "linear, no threshold" model of radiation damage. His description of a sudden recognition of the irrationality of his position is a powerful illustration of the way an authoritarian culture can affect the thought processes, but as far as I know Gofman never tried to explain his bizarre subservience to the social-political-economic power structure of US society. Most of his contemporaries failed to reconsider their actions and policies.

Some of the survivors from that period are continuing to pollute the discussion of the biological effects of radiation. Hired by the nuclear industry to present lectures to their staff, as well as to the public, they publish articles in books and magazines sponsored by the nuclear industry, and appear in advertisements for the industry.

For more than 50 years, the arguments of the pro-radiation factions have centered on a few situations, illustrations, and anecdotes that they know are effective propaganda, because each one consists of little more than a single image. These situations are predictably used to convince people that radiation exposure is harmless: A trip in an airliner, or living in Denver, exposes a person to hundreds of times more radiation than living near a nuclear reactor does; a sheet of ordinary paper stops a beam of radiation; living in homes with high radon levels prevents lung cancer; living in radioactive apartments in Taiwan prevented 96.5% of cancers; workers in the nuclear industry have a lower incidence of cancer than other workers.

These perennial arguments are now being used to sell radioactive rocks to cure cancer. The idea of "radiation hormesis," that a small amount of radiation is positively good for the health, is even being popularized by internet sites such as Dr. Mercola's.

To counter those propaganda images, the people who want to urge caution with ionizing radiation have discussed the processes that are known to occur when a certain type of radiation interacts with a certain type of substance, and have pointed out that, despite the large amount of knowledge that exists, the specificity of these interactions and the complexity of the living substance mean that science has only begun to understand the biological effects of radiation. While emphasizing the fragmentary nature of the science, a few of these people have spent years collecting the best information available on the health effects of radiation in a few well defined situations.

Ernest Sternglass is occasionally mentioned by the nuclear apologists, as a complete quack who hasn't done anything of value, and that he contradicts the authoritative conclusions of T. D. Luckey. Anyone who actually reads some of Sternglass's books and articles, and then examines Luckey's work, will understand the situation. Sternglass presents a large amount of very meaningful data, and he also describes the actions of government and industry officials who have made great efforts to hide dangerous

information. Luckey repeatedly cites a few propaganda pieces as if they contained valid data, which they don't. And Luckey is apparently the best that the industry can offer.

When a physicist compares the radiation received from cosmic rays in Denver to the radiation from military or industrial nuclear fission products, implying that the "smaller dose" from artificial sources is less harmful "because it's much smaller," he is lying. A radioactive particle that decays in the body delivers most of its energy to the tissues, but external radiation of very high energy, such as cosmic rays, gamma rays, or very high voltage x-rays, delivers a smaller proportion of its energy to the tissues.

The person who demonstrates that a beam of "radiation" (which consists of alpha particles) can be stopped by a sheet of paper is illustrating the sort of thing that happens when fission occurs within the body. If an alpha particle is released inside the body, its energy will be absorbed in a very short distance, causing very great damage in a small region (Hei, et al., 1997).

People whose houses are chronically contaminated with increased levels of radon gas don't have an abnormally high incidence of lung cancer. But why would radon be expected to cause lung cancer? It's fat soluble, and it concentrates in fat tissues, bone marrow, and the brain and other nerves. Its concentration is about 10 times higher than normal in the brains of Alzheimer's and Parkinson's disease patients (Momcilovic & Lykken, 2007), and maps of the incidence of Alzheimer's disease in the US coincide with maps of radon emissions. People who talk about the negative association of lung cancer with radon exposure clearly aren't interested in learning the harmful effects of radon exposure.

The original article about the radioactive apartments in Taiwan, whose occupants had only 3.5% as many cases as would be expected from the rate in the general population, was written by W. L. Chen and 13 co-authors. Chen and at least 12 of his co-authors were closely associated with the nuclear industry or the military. The article gives no definite information about the distribution of the radiation within the apartments, about

the general health and mortality rate of the residents, or about the ages of the tenants. The article was published in the *Journal of the Association of American Physicians and Surgeons*. (This magazine was formerly named *Medical Sentinel*.) The *New York Times* described AAPS as an "ultra-right-wing . . . political-economic rather than a medical group," and most of the articles are advocating extreme economic and political action. Yet most of the people who argue that Chen's article is evidence of the harmlessness, or beneficial effects, of radiation, including T. D. Luckey, list it in their references, as if were a scientific report.

Even the mainstream professional journals haven't had a good record for objectivity. R. E. Alexander, a former chairman of the Health Physics Society's public relations committee, told the society's board of directors that Ernest Sternglass's work had led to publicity that was damaging to the nuclear industry. He said that the "basic publicity objective" of the Society was "to let the public know that due to a frankly acknowledged need, we have a new technology, health physics, which will permit them to enjoy the benefits of nuclear energy safely." Facts about the harmful effects of radiation were harmful to the Society, but "while we try to avoid publicizing papers that do not contribute to our basic objective, there is no way to prevent such publicity absolutely."

From my own experience, I think that kind of deference to economic interests is common in the major science journals in all fields.

Another journal that serves the industry is *Radiation Protection Management*.

One of the current authors in *RPM* is Mark Hart, who mentions how he tries to prevent his audience from thinking "this guy must work for the government." He arranges to have himself introduced as a person who is displaying his personal collection of antiques (radioactive antiques), and that he has taken his vacation time to present the lecture.

"This demonstrated that I was not being paid by the Laboratory [Lawrence National Radiation Lab] to give the talk." "I make a point of separating the contents of my presentation from whatever

the stance of my employer may be on this subject. I point out that the information that I will present is not my perspective nor the result of any research that I have conducted: I am only presenting a 'book report,' a very elaborate book report with examples on display that are integrated into the talk. I am presenting the very same information that the audience can read for themselves. To this end the presentation encompasses the range of authors from Gofman (linear hypothesis) to Luckey (hormesis) and ties historical experience to the common understanding of radiation and radioactivity." "We must also remember that credibility is lost if the audience is taken too far, too fast." "For instance, tell an audience that more people have died in the United States from airbags than died at the Chernobyl accident."

Hart's comment on the linear hypothesis: "This conservative approach was adopted assuming *any* amount of radiation would put a person at a quantifiable risk. There is little direct evidence of this, and there is disagreement about its veracity, even among radiation professionals." His use of the word "veracity" in relation to evidence implies that some professionals are lying about the evidence, but his context makes it clear that he is referring to people like Gofman.

In 1959, I suggested that my students, reading about the effects of radiation, should notice who the authors worked for. It was immediately obvious to them that government employees never mentioned that radiation could be harmful.

The people in the various professions who insist that "small" amounts of radiation are perfectly safe, or beneficial, seldom say much about the mechanisms involved in the harm or benefit of radiation. They suggest that the ionizing radiation stimulates mechanisms that repair damaged genes, when it damages them, or that it "stimulates the immune system." The very old idea, developed more than 80 years ago, that radiation's biological effect is produced exclusively by causing genetic damage, continues to be central to their thinking. This view dominates the thinking of dentists and physicians, as well as those in the business of "protecting public health."

At the beginning of the 20th century (e.g., H.J. Muller, 1910, 1921) when nothing was known about the physical or chemical nature of "the gene," many biologists committed themselves to the belief that "the gene is the basis of life." (Ann Rev of Genetics vol. 2:1-10, 1968, G. Pontecorvo, Hermann Joseph Muller; page 1). When it was discovered that x-rays produced mutations it seemed obvious that it was because they changed the "genes," and later when genes came to be identified with DNA, it was believed that radiation had its biological effects because of its effects on DNA, which continued to be thought of as "the basis of life."

The idea is that at the moment radiation is absorbed by a tissue, a DNA-gene is damaged, or not. Studies of DNA in isolation have contributed to some mistaken ideas about radiation safety; at one time the mere size of the DNA molecule was thought to determine an organism's sensitivity to radiation. In living cells, according to the older explanation, if the amount of DNA damage isn't too great, it will be repaired, and the radiation will have had no effect at all. A greater amount of DNA damage might be incorrectly repaired, producing a mutation, that could produce cancer, or, if the gonads were exposed to radiation, an inherited defect could be produced. Any damage would be instantaneous and local, and the repair would take place within minutes or hours, so by analyzing the DNA (usually just looking for structural changes in chromosomes), the degree of damage could be determined soon after the exposure.

This localized, "genetic" explanation for the harmful effects of radiation was the predominant ideology of Anglo-American biology. William Bateson, who promoted the genetic doctrine of Gregor Mendel, and his followers such as Charles Davenport, wanted to deny absolutely the possibility that environmental influences could influence traits such as intelligence; each trait was determined by a gene. At the same time, 1902-1914, Theodor Boveri was explaining the formation of cancer by radiation or chemical carcinogens in terms of an induced imbalance of chromosomes, produced by changes in the process of cell division. The sorting of chromosomes

during cell division became unstable under the influence of various harmful factors. Boveri saw that disturbing the chromosomes of an embryo could cause cells to stray out of their normal developmental path, and reasoned that this is similar to what happens in cancer—a disorganization of cellular interactions. But William Bateson didn't acknowledge that chromosomes carried genetic information until 1922, and his influence greatly retarded Anglo-American study of the biology of chromosomes, and of cancer.

This old idea (Boveri's) of genomic or chromosomal instability has become central to understanding the real effects of radiation on organisms. The fact that bacteria and other single-cell organisms contain DNA isn't enough to allow them to be considered as models for understanding the biological effects of radiation, because the existence of more complex organisms depends on the coordination of cells, based on signals and perception of wholes. The nature and the quality of our development depends on the degree of our cells' vigor and sensitivity in responding to, maintaining, and creating our long-range coherence. The sorting of chromosomes is one of the processes affected by the cells' basic vitality.

On the intracellular level, organization and sensitivity depend first on the interactions of water, electrons, and proteins, supported by the modifying effects of carbon dioxide, sugars, fats, nucleic acids, salts, and other substances. The crucial regulatory processes occur within a narrow range of energy changes. Interacting cells communicate their needs by excitatory signals that mobilize other parts of the system to make adaptations. Excitatory signals imposed arbitrarily from the outside on the adapting organism can create a state of arousal without a defined purpose, meaning that in the absence of a goal that can be achieved, the excited state may expend resources that could have been used productively in other ways.

Ionizing radiation is one source of such misleading excitatory signals, and even apart from its ionizing effects, it is likely to transmit enough extraneous excitation to the delicately balanced living state to change its organization and sensitivity.

When a man receives ionizing radiation to the head (Tamminga, et al., 2008), his sperms are destabilized in such a way that they are able to carry the instability with them into the fertilized ovum and the developing offspring, increasing the risk of developing leukemia.

Leonell Strong, who had studied genetics with T.H. Morgan and began breeding a strain of cancer-prone mice in 1921 for use in cancer and genetic research, gradually began thinking in terms of environmentally induced genetic instability. Excessive estrogen, and changes in the metabolism of the liver were the two factors that he focused on. He found that if a pregnant cancer-prone mouse received injections of a liver extract, several generations of the descendants would be free of cancer. The genetic instability that caused them to reliably develop mammary cancer was an inherited metabolic condition which could be corrected by a metabolic treatment.

It had been known for several decades that both estrogen and ionizing radiation produced cancer, when in 1971 Segaloff and Maxfield showed that they are synergistic. Irradiation produced cancer much more quickly when the rats had been treated with estrogen. In 1973, Segaloff treated 3 groups of rats, (1) with estrogen and radiation (800 R of X-rays to half of the body), or (2) with estrogen, radiation and progesterone, or (3) with just radiation and progesterone. As in the earlier experiment, many tumors quickly appeared on the side of the body that received the radiation in most of the animals of group 1, but in group 2 only one eighth as many tumors appeared in the animals that received progesterone. In the third group, no tumors appeared in the irradiated animals that received progesterone -




Chart 1. Curve 1, diethylstilbestrol-cholesterol pellet plus radiation (radiated side); Curve 2, diethylstilbestrol-cholesterol pellet plus radiation (nonradiated side); Curve 3, diethylstilbestrol-cholesterol pellet plus progesterone pellet plus radiation (radiated side); Curve 4, diethylstilbestrol-cholesterol pellet plus progesterone pellet plus radiation (nonradiated side).

This protective action of progesterone against radiation implies that X-rays have "estrogenic" effects on the body. This had previously been demonstrated very literally, when it was found that irradiating any part of the body of a female animal caused it to go into estrus, behaviorally as well as physiologically and biochemically.

Toxic heavy metals can also sensitize animals to radiation (and some metals, such as cadmium, have estrogenic effects). Stress of any sort tends to increase the formation of estrogen, and estrogen activates many mediators of inflammation.

Forty years ago, all carcinogens were dogmatically considered to be mutagens, but gradually the idea of "non-genotoxic carcinogenesis" has been recognized, along with the idea of genetic instability. Estrogen is typical of this type of carcinogen. Heat exposure, "serum starvation," and the tumor microenvironment are examples of non-genotoxic factors that can induce the instability (Li, et al., 2001). If the local environment of the tumor is carcinogenic, the tumor could grow by "induction" of defects in normal cells, rather than just by multiplication of its own cells. (I have proposed that carbon monoxide produced by a tumor could be a factor in the enlargement of the tumor, by induction of stress in surrounding cells.)

When destabilizing factors are transmitted from cells that were damaged, for example by irradiation, to other cells that weren't exposed to the radiation, but which then undergo changes similar to those of the exposed cells, these changes are called "bystander effects." Besides being transmitted from one part of the body to another, for example from the head to the reproductive organs, these effects can even be transmitted from one animal to another, for example from fish exposed to radiation to other fish which enter water after the exposed fish have been in it (Mothersill, et al., 2007). Serotonin has been identified as one of the substances transmitting the effect (Poon, et al., 2007). In some situations, the transmitted factors include nitric oxide and "persistent" free radicals (Harada, et al. 2008).

Besides transmitting the destabilizing effects through space, the effects can also be transmitted through time. Between 1988 and 1992, people

who survived the atomic bomb in Hiroshima in 1945 were tested for signs of inflammation, and their leukocyte counts, erythrocyte sedimentation rate, alpha-1 globulin, alpha-2 globulin, and sialic acid levels were increased in proportion to the amount of radiation they had been exposed to (Neriishi, et al., 2001). Twenty years after people were exposed to radiation by working at the reactor site after the accident at Chernobyl, their blood serum was compared to that of people who weren't exposed. Serum from the exposed workers caused chromosome damage and loss of viability in test cells (Marozik, et al., 2007).

G. Csaba's idea of hormonal imprinting is that a pattern is formed in the cytoplasm in response to the environment, and that this pattern can be passed from generation to generation if it is useful (Csaba, 1986). The persistent bystander and even transgenerational effects of radiation can be thought of as a kind of negative imprinting, a disruption of useful cytoplasmic patterning. The outcome of any cellular destabilization can be influenced by many things, even years or generations later. Even seemingly normal identical twins and cloned animals have recognizable differences, resulting from slight instabilities in the imprintable factors that regulate development (Dolinoy, et al., 2007; Weidman, et al., 2007; de Montera, et al., 2010; Wong, et al., 2010; Zwijnenburg, et al., 2010).

Prenatal or neonatal exposure to extremely small amounts of the estrogenic substances used in plastics, nonylphenol and bisphenol-A, have been found to greatly increase adult sensitivity to estrogen (Wadia, et al., 2007; Soto, et al., 2008). The synergy of estrogen and ionizing radiation suggests that early exposure to either could increase adult sensitivity to both.

The bystander effects include alterations in energy metabolism (Nugent, et al., 2010), movement, mitosis, and cellular orientation or perspective. Cells have different degrees of mobility, from muscle and bone cells to leukocytes, and the integrity of the organism depends on the appropriateness of their movements. Cells have to know where they are, and when, to coordinate their activities in space and time, knowing not

only when to divide, but exactly how to orient the direction in which the division will occur.

Although I consider every cell to be a potential stem cell, it's helpful to consider the nature of the "stem cell function" in a general sense. The cells in the basal layer of the skin or intestine, for example, are well known stem cells. With each division, one daughter cell stays in place as a stem cell, while the other migrates toward the surface, as a differentiating and functioning replacement cell. (In the brain, cells migrate from a zone around the ventricles into the brain.) This is an asymmetric division, which must be oriented exactly, so that the basal layer continues to contain stem cells, rather than differentiated cells. The extracellular matrix surrounding the "stem" cells participates in the orientation of the asymmetrical division. Without proper orientation of the cell and its matrix, tissue renewal would fail.

In the 1920s and 1930s, when the idea of developmental fields guided many areas of research, numerous biologists considered that electrical and electromagnetic fields interacted with chemical processes, permitting cells to sensitively regulate their size, shape, orientation, and interactions with their surroundings. W.F. Koch, Alexander Gurvich, Albert Szent-Gyorgyi, and G.W. Crile did many experiments demonstrating the biological effects of electrons and photons, but in the spirit of reductionism corporate science bitterly rejected their work for several decades. A few groups have been bringing their ideas up to date, in ways that help to understand bystander effects, lingering inflammatory effects, imprinting, transgenerational effects, and that suggest new types of therapy.

Gurvich, and more recently many others including F.A. Popp, have demonstrated that normal cells emit weak photons in the visible and ultraviolet spectrum. Popp's laboratory has demonstrated that DNA can "store photons," by forming stable excited electronic states between nucleotide bases. Excited states in proteins can be transmitted to other proteins (Lardinois, et al., 2003), and the water close to proteins can maintain the excited states of electrons produced by oxygen over long periods of time (Marchettini,

et al., 2010; Voeikov, 2001, 2002, 2007; Voeikov & Malenkov, 1971, Voeikov, et al., 2003).

Enzymic reactions in normal metabolism can create a variety of excited electronic states which contribute to the store of photons and electrical fields. In plants, light creates an excited electronic state in chlorophyll, which is used metabolically, generating cellular fields similar to those in animals. The random processes of free radical oxidations in unstable lipids can also create excited states and photons, but they are distinct from those produced in normal metabolism. Deeply penetrating ionizing radiation is a unique source of random excitation of electrons, contributing to the burden of random stimulation.

In the normal metabolic oxidation and reduction, orderly electrical fields are generated, and the polarity of these fields is closely related to the alignment of the parts of the cell that regulate movement and cell division. When an external electrical field is applied experimentally, the centrosome, Golgi body, microtubules and other parts of the cell align themselves with the field, the cytoplasm streams, and the cells migrate toward the external cathode.

Injured cells behave like cathodes, producing the strongly negative "injury potential." Intensely stimulated cells produce a similar field, and it has been known for many years that brain cells will migrate toward an area of excitation. But disoriented cells don't migrate appropriately.

Since the normally oriented fields are maintained by metabolically excited electrons, and govern the quality of tissue renewal, the random electronic and light activity produced by lipid peroxidation and other toxic processes threaten the basic organization of the animal or plant. Vitamin C and the intrinsic "antioxidants" protect against these electronic disturbances, and can reverse some of the bystander effects produced by radiation and other stresses.

Even ultraviolet light can produce electronic excitation and bystander effects that destabilize cells, but, unlike gamma rays and x-rays, ultraviolet light doesn't penetrate deeply into the body. In visible light, it is only the red component that can pass deeply into the tissue, and it happens that red light is able to "quench" many excited electrons,

restoring them to their normal resting or ground state. In a solid material, such as a seed or hair or bone, excited electrons will persist for a long time (hours in the seed and hair, years in bone), but with a brief exposure to red light, they will return to their normal state.

This beneficial effect of the red component of sunlight helps to keep plants from being sunburned. If the red light is removed from sunlight, even the blue light by itself is quickly toxic to their mitochondria. During the night, animals' respiratory enzymes lose some of their effectiveness, possibly from the effects of random lipid peroxidation, and red light restores their activity.

Heat stress and increased pH contribute to the generation of random electronic excitation, and light is protective in plants, partly by allowing carbon dioxide to be produced. In all cells, CO₂ helps to control the general electronic state, lowering the pH and protecting the essential molecules from random excitations, oxidations, and reductions.

Under natural conditions, cosmic rays are an important source of random electrical excitations. At high altitude, their high energy causes them to have a low "linear energy transfer," LET, affecting tissues only slightly as they pass through, and at sea level the secondary and tertiary rays produced from the collisions of primary cosmic rays with the atmosphere have a higher LET, which is probably responsible for the lower mortality from cancer and heart disease at high altitude. But the lower oxygen pressure at high altitude, and greater retention of carbon dioxide in the tissues, would also reduce the tissue damage from radiation.

There are two species of bacteria that can withstand extremely large doses of ionizing radiation, and carbon dioxide seems to be the crucial factor in the ability of their proteins to function, even when their DNA has been fragmented by intense ionizing radiation.

The recognition of the coherence of the organism on the molecular and electronic level makes it clear why there can be no threshold of safety for ionizing radiation, but it also suggests new

approaches to preventing and treating the developmental and degenerative diseases.

Meanwhile, people in the US are being offered CAT scans to "detect early signs of heart disease" in a test that "takes only 20 to 30 minutes," and for other trivial reasons, with the approval of state radiation regulators, and without interference from the FDA. Hundreds of people recently experienced loss of hair in a stripe around their head after having x-ray scans, when their doctors intentionally used high doses to get clearer images. Paralysis and dementia are likely to follow in a few years, but few doctors recognized their bizarre hair loss as an indication of radiation poisoning. Many hospitals use low voltage x-rays for mammograms, with high LET and increased carcinogenicity, to get better images.

In California, where hundreds of the destructive head scans were done, tort reform law means that noneconomic damages for medical malpractice are limited to \$250,000, from which a successful litigant would have to pay the lawyer. Premature death or dementia would be likely to precede any legal victory.

The culture that has made these bizarre medical radiation exposures possible is being sustained and expanded every time your dentist or physician explains the safety of "digital x-rays," or "dual photon bone scans," or mammograms.

REFERENCES

Curr Biol. 2003 Sep 30;13(19):1728-33. **Long-range communication between chromatin and microtubules in *Xenopus* egg extracts.** Carazo-Salas RE, Karsenti E. "We show that, in this system, chromatin does affect microtubule formation at a distance, inducing preferential orientation of centrosomal microtubules in its direction. Moreover, this asymmetric distribution of microtubules is translated into a directional migration of centrosomal asters toward chromatin and their steady-state repositioning within 10 microm of chromatin. To our knowledge, this is the first direct evidence of a long-range guidance effect at the sub-cellular level."

Experientia. 1986 Jul 15;42(7):715-8. **Why do hormone receptors arise?** Csaba G.

Orv Hetil. 2010 Aug 15;151(33):1323-30. **[Hormonal imprinting—the unforeseeable future]** Csaba G. "Although imprinting is characteristic and inevitable perinatally, it can be provoked in any period of life in developing cells, especially at the weaning and adolescent age (late

imprinting). There is no gene mutation during imprinting, however, the methylation pattern of the genes changes and that inherits epigenetically the imprinting, which is manifested in disposition to diseases or in diseases (e.g. tumor formation, metabolic syndrome). Imprinting is inherited between generations that could cause—in the present chemical world—evolutionary consequences."

Antioxid Redox Signal. 2010 Oct 4. **The Redox Basis of Epigenetic Modifications: From Mechanisms to Functional Consequences.** Cyr A, Domann F. "Recent research is revealing that redox metabolism is an increasingly important determinant of epigenetic control that may have significant ramifications in both human health and disease."

PLoS Biol. 2007 Apr;5(4):e92. **Protein oxidation implicated as the primary determinant of bacterial radioresistance.** Daly MJ, Gaidamakova EK, Matrosova VY, Vasilenko A, Zhai M, Leapman RD, Lai B, Ravel B, Li SM, Kenner KM, Fredrickson JK.

Cell Reprogram. 2010 Apr;12(2):175-81. **Quantification of leukocyte genomic 5-methylcytosine levels reveals epigenetic plasticity in healthy adult cloned cattle.** de Montera B, El Zeihery D, Müller S, Jammes H, Brem G, Reichenbach HD, Scheipl F, Chavatte-Palmer P, Zacharchenko V, Schmitz OJ, Wolf E, Renard JP, Hiendleder S.

Environ Health Perspect. 2007 Jan;115(1):80-6. **Prenatal bisphenol A exposure induces preneoplastic lesions in the mammary gland in Wistar rats.** Durando M, Kass L, Piva J, Sonnenschein C, Soto AM, Laque EH, Muñoz-de-Toro M.

Int J Radiat Biol. 2008 Oct;84(10):809-14. **Different involvement of radical species in irradiated and bystander cells.** Harada T, Kashino G, Suzuki K, Matsuda N, Kodama S, Watanabe M.

Proc Natl Acad Sci U S A. 1997 Apr 15;94(8):3765-70. **Mutagenic effects of a single and an exact number of alpha particles in mammalian cells.** Hei TK, Wu LJ, Liu SX, Vannais D, Waldren CA, Randers-Pehrson G, Collaborators: Waldren CA. "The nucleus of each cell was irradiated with either 1, 2, 4, or 8 alpha particles at a linear energy transfer of 90 keV/microm consistent with the energy spectrum of domestic radon exposure." "These data provide direct evidence that a single particle traversing a nucleus will have a high probability of resulting in a mutation and highlight the need for radiation protection at low doses."

Acta Microbiol Hung. 1987;34(3-4):179-85. **The effect of varying illumination on imprinting of Tetrahymena by insulin.** Köhidai L, Darvas Z, Csaba G.

J Biol Chem. 2003 Sep 19;278(38):36214-26. **Intra- and intermolecular transfers of protein radicals in the reactions of sperm whale myoglobin with hydrogen peroxide.** Lardiniois OM, Oriz de Montellano PR.

Cancer Res. 2001 Jan 15;61(2):428-32. **Persistent genetic instability in cancer cells induced by non-DNA-damaging stress exposures.** Li CY, Little JB, Hu K, Zhang W, Zhang L, Dewhirst MW, Huang Q. "We show that persistent genetic instability was induced by nongenotoxic

stress exposures such as heat treatment, serum starvation, or the tumor microenvironment, as well as genotoxic stress such as ionizing radiation and exposure to hydrogen peroxide."

J Theor Biol 2010 Aug 21;265(4):511-6. **Water: a medium where dissipative structures are produced by a coherent dynamics.** Marchettini N, Del Giudice E, Voelkov V, Tiezzi E. The Belousov-Zhabotinsky phenomenon is analyzed in a framework where the dynamics of dissipative structures outlined by Prigogine is implemented through the collective dynamics produced in liquid water by Quantum Electrodynamics, which has received recently some experimental support. A mechanism allowing the appearance of self-produced oscillations is suggested.

Exp Hematol. 2007 Apr;35(4 Suppl 1):55-63. **Bystander effects induced by serum from survivors of the Chernobyl accident.** Marozik P, Mothersill C, Seymour CB, Mosse I, Melnov S.

Dose Response. 2007 Apr 3;5(3):214-29. **A role for bioelectric effects in the induction of bystander signals by ionizing radiation?** Mothersill C, Moran G, McNeill F, Gow MD, Denbeigh J, Prestwich W, Seymour CB.

Int J Radiat Biol. 2001 Apr;77(4):475-82. **Persistent subclinical inflammation among A-bomb survivors.** Neriishi K, Nakashima E, Delongchamp RR.

Int J Radiat Biol. 2010 Oct;86(10):829-41. **Altered mitochondrial function and genome frequency post exposure to gamma-radiation and bystander factors.** Nugent S, Mothersill CE, Seymour C, McClean B, Lyng FM, Murphy JE.

Int J Radiat Oncol Biol Phys. 2010 Oct 5. **Dynamics of Delayed P53 Mutations in Mice Given Whole-Body Irradiation at 8 Weeks.** Okazaki R, Ootsuyama A, Kakihara H, Mabuchi Y, Matsuzaki Y, Michikawa Y, Imai T, Norimura T.

Environ Res. 2007 Oct;105(2):200-11. **Bystander effects of ionizing radiation can be modulated by signaling amines.** Poon RC, Agnihotri N, Seymour C, Mothersill C.

Int J Androl. 2008 Apr;31(2):288-93. **Epub 2007 Oct 31. Neoplasia as development gone awry: the role of endocrine disruptors.** Soto AM, Maffini MV, Sonnenschein C.

Acta Morphol Hung. 1986;34(1-2):23-9. **Changes of free histones in chick testicular and ovarian cells after embryonic and/or neonatal treatment with diethylstilbestrol (DES) or allyloestrenol (AE).** Sótónyi PT, Dobozy O, Csiba G.

J Steroid Biochem Mol Biol. 2006 Nov;101(4-5):263-74. **The mammary gland response to estradiol: monotonic at the cellular level, non-monotonic at the tissue-level of organization?** Vandenberg LN, Wadia PR, Schaeberle CM, Rubin BS, Sonnenschein C, Soto AM.

Biofizika. 1971 Jul-Aug;16(4):657-62. **[Electric conductivity of suspensions of normal and neoplastic cells]** Voelkov VL, Malenkov AG.

Riv Biol. 2001 May-Aug;94(2):237-58. **Reactive oxygen species, water, photons and life.** Voelkov V.

Adv Gerontol. 2002;9:54-66. **[Bio-physico-chemical aspects of aging and longevity]** Voelkov VL. The major

postulates of the Bauer's theory and the corollaries of them are reviewed with the emphasis on the specifically biological phenomenon discovered by Bauer, the so called "Basic Process". The latter allows to find the means for the significant extension of the active life span. Taking Bauer's principles into consideration we contemplate the modern data on the peculiarities of free radical processes in living systems giving rise to electron excited species generation as the energy-informational foundation for the build up of an organism's resources for the counteraction of most pathological factors.

Homeopathy. 2007 Jul;96(3):196-201. **The possible role of active oxygen in the memory of water.** Voelkov VL. "It is argued here that various initial perturbations initiate development of a set of chain reactions of active oxygen species in water. Energy, in particular high grade energy of electronic excitation, released in such reactions can support non-equilibrium state of an aqueous system. In principle, such reactions can continue indefinitely due to specific local structuring of water with even minute 'impurities' that are always present in it and by continuous supply of oxygen amounts due to water splitting. Specific properties of several real aqueous systems, in particular, homeopathic potencies in which such processes could proceed, are discussed. The role of coherent domains in water in maintenance of active oxygen reactions and in emergence of oscillatory modes in their course is considered."

Indian J Exp Biol. 2003 May;41(5):473-82. **Biophoton research in blood reveals its holistic properties.** Voelkov VL, Asfaramov R, Bouravleva EV, Novikov CN, Vilenskaya ND.

Environ Health Perspect. 2007 Apr;115(4):592-8.

Perinatal bisphenol A exposure increases estrogen sensitivity of the mammary gland in diverse mouse strains. Wadia PR, Vandenberg LN, Schaeberle CM, Rubin BS, Sonnenschein C, Soto AM.

Cancer J. 2007 Jan-Feb;13(1):9-16. **Cancer susceptibility: epigenetic manifestation of environmental exposures.** Weidman JR, Dolinoy DC, Murphy SK, Jirtle RL.

Epigenetics. 2010 Aug 4;5(6). **A longitudinal study of epigenetic variation in twins.** Wong CC, Caspi A, Williams B, Craig IW, Houts R, Ambler A, Moffitt TE, Mill J.

Hippocampus. 2009 Sep;19(9):855-68. **Electrical signals polarize neuronal organelles, direct neuron migration, and orient cell division.** Yao L, McCaig CD, Zhao M.

Am J Med Genet B Neuropsychiatr Genet. 2010 Sep;153B(6):1134-49. **Identical but not the same: the value of discordant monozygotic twins in genetic research.** Zwijnenburg PJ, Meijers-Heijboer H, Boomsma DI.